



Fall protection

Automatic lock karabiner that reduces the risk of mishandling and has a large opening for easy anchoring



## **Applications**

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)

# **Certifications and norms**

CE

EN 362 CLASS A



enjoy s

Edit 05/05/2024 www.deltaplus.eu



# AM022 CONNECTORS

opening for easy anchoring

Fall protection

#### **Standards - Details**

## **Technical details**

Automatic lock karabiner that reduces the risk of mishandling and has a large

Type of equipment	Automatic lock hook
Composition of the main support	Steel
Length	0,215 m
Gate opening	51 mm
Opening	2.0044 inch
Lock	Automatic system
Fastening	Automatic
Color	Steel
SIZE	One size
Lifespan from manufacturing	20 years
Weight	1 kg
Type of packaging	Pack of 2



enjoy so

Edit 05/05/2024 www.deltaplus.eu



# AM022 CONNECTORS

Fall protection

Automatic lock karabiner that reduces the risk of mishandling and has a large opening for easy anchoring

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	
AM022X2V2	Steel	One size	AM022	3295249284794	13295249284791	10	1	10.39 kg	



enjoy so

20/05/2024 www.deltaplus.eu